



Electric fireplaces for
the professional builder

Built-in Fireboxes

33" Slimline Built-in Firebox

- 100% LED firebox. Flame generation costs less than 1 cent per hour.
- Large viewing area of 738 sq. inches (27% larger than previous 33" built-in firebox).
- Includes optional 3 piece trim kit.
- Includes 3-stage remote control.
- Includes handles on the left and right sides for moving and installation.
- Includes mesh screen.



Slimline built-in firebox (BFSL33) with door kit (BFSL33D00R)

33" Built-in Purifire® Firebox – Deluxe



BF33DXP Purifire firebox with black trim kit* (BF4TRIM33) and swing doors (BFSD00R33BLK). *Shown in 3-piece configuration.

39" Built-in Purifire® Fireboxes – Standard and Deluxe



BF39STP Purifire firebox with stainless steel trim kit* (BF4TRIM39SS) and bi-fold glass door kit (BFD00R39BLKSM). *Shown in 3-piece configuration.

39" 2-Sided Firebox

Built-in 2-sided design is perfect for counters or as a room divider.



BF392SD firebox with bi-fold look glass door kit (BFD00R39BLKSM) with black trim kit* (BF4TRIM39). *Shown in 3-piece configuration.

45" Built-in Purifire® Firebox – Deluxe



BF45DXP Purifire firebox with bi-fold look glass door kit (BFD00R45BLKSM) and black trim kit* (BF4TRIM45). *Shown in 3-piece configuration.

- Patented electric flame technology.
 - Realistic flame effect, log set and ember bed.
 - Deluxe models (DXP) feature pulsating resin logs and brick-look interior.
 - Dual 120 or 240/208 voltage compatible.
 - Operates with flame only, flame/Purifire, and flame/Purifire/heat.*
 - Easily accessible manual controls – heater on/off and flame on/off.
 - Field-installable remote control kit and wall-mount thermostat control options available.
 - Optional glass doors install easily with minimal tools.
- * Capable of independent control of Purifire.

purifire®
Air treatment system

Continuous filtration of mold spores, pollen, dander and dust using a high-efficiency, washable filter. Featured with BF33DXP, BF39STP, BF39DXP and BF45DXP fireboxes.

50" Linear Built-in Firebox

- Sleek, contemporary design with flame bed made from colored and mirrored glass pieces.
- Versatile installation options include:
 - Fully-recessed into new construction.
 - Retrofit into existing construction.
 - Wall-mount.
- Built-in manual switches (main on/off, low heat, high heat).
- Includes 3-stage remote control.



BLF50 firebox

Built-in Firebox Specifications

Model	Description	Volts	Watts	BTU	Total Amps	Weight (lb/kg)
33" Fireboxes						
BFSL33	33" slimline built-in firebox. Operates with flame only, flame/low heat, flame/high heat*. Includes 3-stage remote control. 100% LED and pulsating resin logs.	120 240 / 208	1223 2423 / 1823	4080 8160 / 6120	10.2 10.1 / 8.8	80 / 36.2
BF33DXP	33" firebox with Purifire. Operates with flame only, flame/Purifire, and flame/Purifire/full heat*, with pulsating resin logs and brick-look interior. Built-in manual switches.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	75 / 34
39" Fireboxes						
BF39STP	39" firebox with Purifire. Operates with flame only, flame/Purifire, and flame/Purifire/full-heat*. Built-in manual switches.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	87 / 39.5
BF39DXP	Same features and functions as above (BF39STP), with the addition of pulsating resin logs and brick-look interior.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	87 / 39.5
45" Firebox - Deluxe						
BF45DXP	45" firebox with Purifire. Operates with flame only, flame/Purifire, and flame/Purifire/full heat*. Built-in manual switches. Also features pulsating resin logs and brick-look interior.	120 240 / 208	1440 2700 / 2100	5000 9200 / 7200	12.0 11.3 / 10.1	110 / 49.4
50" Linear Built-in Firebox						
BLF50	50" linear firebox with glass flame bed with removable 120V plug. Operates with flame only or flame and heat*. Built-in manual switches. Includes 3-stage remote control.	120	1230	4198	10.3	75 / 34

*Can be wired with separate wall switches (not included) for independent flame, and optional wall thermostat to control heater.

2-Sided Firebox Specifications

Model	Description	Volts	Watts	BTU	Total Amps	Weight (lb/kg)
BF392SD	2-sided 39" firebox with 120V plug. 3-stage remote control included (flame only, half-heat, full-heat). Built-in manual override.	120	1440	5000	12.0	119 / 54

Control Options Specifications




Model	Description	Weight (lb/kg)
WRCPF-KIT	Wall switch remote control controls on/off, thermostat and Purifire settings (if applicable) for BFSL33, BF33DXP, BF39STP/DXP, BF45DXP, BLF50, DF3033ST and DFG3033 (includes sender and receiver).	1.5 / 0.68
BFRC-KIT	3-stage remote control kit for BF33DXP, BF39STP/DXP and BF45DXP, which includes control module and hand held transmitter, field installable.	1 / 0.5
TS521W	Wall-mount thermostat, field installable – white.	0.5 / 0.23
BFPLUGE⁽¹⁾	Plug kit for BFSL33, BF33DXP, BF39STP/DXP and BF45DXP, which includes 7' cord (approx.) and plug, field installable for use at 120V setting only. (Wall thermostat option not available with plug kit.)	0.5 / 0.23





¹ Building codes vary by location. Prior to plug kit attachment – ensure product meets local code. National electric codes may state that the plug be accessible.

Built-in Firebox Trims & Door Kits

Door Kit Specifications

Model	Description	Weight (lb/kg)
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Glass Bi-fold Look Door Kit</p>  </div> <div style="text-align: center;"> <p>Swing Door Kit</p>  </div> <div style="text-align: center;"> <p>BFSL33 Door Kit (only usable door kit for BFSL33)</p>  </div> </div>		
<ul style="list-style-type: none"> Glass door kit features bi-fold design. Swing door kit features double doors for an authentic fireplace look and feel. Tamperproof, single pane glass door kit available (not shown). <p>Note: Swing door kit is not available with BF392SD or BF45DXP models.</p>		
33" Door Kits		
BFSL33D00R	33" single pane, tamperproof glass door	12 / 5.5
BFD00R33BLKSM	33" single pane, bi-fold look glass door	18 / 8.1
BFGLOSS33BLK	33" single pane, tamperproof glass door	12 / 5.4
BFSD00R33BLK	33" glass swing doors with black accents	17 / 7.7
39" Door Kits		
BFD00R39BLKSM	39" single pane, bi-fold look glass door	18 / 8.1
BFGLOSS39BLK	39" single pane, tamperproof glass door	12 / 5.4
BFSD00R39BLK	39" glass swing doors with black accents	17 / 7.7
45" Door Kits		
BFD00R45BLKSM	45" single pane, bi-fold look glass door	18 / 8.1
BFGLOSS45BLK	45" single pane, tamperproof glass door	12 / 5.4

Trim Kit Specifications

Model	Description	Dimensions (W x H x D)	Weight (lb/kg)
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Black 4-piece Trim</p>  </div> <div style="text-align: center;"> <p>Stainless Steel 4-piece Trim</p>  </div> </div>			
<ul style="list-style-type: none"> Trim kit can be used as 4-piece surround or as 3-piece configuration (without bottom piece) when installed at floor level. Trim kit for BF33DXP, BF39STP/DXP, BF392SD and BF45DXP only. 			
33" Trim Kits			
BF4TRIM33	33" black	35 7/8" x 29 5/8" x 7/16"	5 / 2.3
BF4TRIM33SS	33" stainless steel	35 7/8" x 29 5/8" x 7/16"	5 / 2.3
39" Trim Kits			
BF4TRIM39	39" black	42 1/4" x 33 11/16" x 7/16"	6 / 2.7
BF4TRIM39SS	39" stainless steel	42 1/4" x 33 11/16" x 7/16"	6 / 2.7
45" Trim Kits			
BF4TRIM45	45" black	48 1/4" x 33 11/16" x 7/16"	7 / 3.2
BF4TRIM45SS	45" stainless steel	48 1/4" x 33 11/16" x 7/16"	7 / 3.2

Built-in Firebox Cabinets and Surrounds

Cabinets for 33" and 39" Fireboxes



White and black cabinet (BMSL33BLKW) with 33" slimline firebox (BFSL33), shown with door kit (BFSL33D00R).; Top Inset: White cabinet (BC39W2) with BF39DXP firebox and black trim kit* (BF4TRIM39); Bottom Inset: White corner cabinet (BCC3336W5) with BF33DXP firebox, glass bi-fold look door kit (BFD00R33BLKSM) and black trim kit (BF4TRIM33)*.
*Shown in 3-piece configuration.



- Cabinet design made with quality workmanship complements any décor.
- Flat wall design available for 33" and 39" fireboxes.
- Corner design available for 33" fireboxes only.
- BMSL33BLKW mantel converts to corner unit.

Flush Mount Mantels and Surrounds for 33" and 39" Fireboxes



MDF pre-primed mantel with cream marble-look inlay (BM39-CM) with BF39DXP firebox; Top Inset: Stone-look mantel (BM33-STN) with BF33STP firebox; Bottom Inset: Stone-look picture frame surround (BS39-STN) with BF39DXP firebox.



- Only minutes to assemble and install.
- MDF pre-primed mantel offers cream marble-look inlay.
- Stone-look mantel offers an attractive design in a durable finish.
- Picture frame surround can be placed at floor level or higher up on the wall.

Cabinet Specifications

Model	Description	Dimensions (W x H x D)	Weight (lb/kg)
33" Flat Wall			
BC3336W2	Cabinet, white finish	57 1/2" x 43 1/2" x 20"	130 / 58.5
33" Corner			
BCC3336W5	Cabinet, white finish	58" x 43 1/2" x 30 1/2"	120 / 54
33" Slimline			
BMSL33BLKW	Cabinet, white and black finish	Flat wall 50 3/4" x 45 3/4" x 11 3/4", Corner depth 37"	84 / 38
39" Flat Wall			
BC39W2	Cabinet, white finish	62 3/4" x 47 3/8" x 21 1/8"	146 / 65.7

Flush Mount Mantel and Surround Specifications

Model	Description	Dimensions (W x H x D)	Weight (lb/kg)
33" Flush Mount Mantels			
BM33-CM	Mantel with cream marble-look inlay	62 1/2" x 50 1/4" x 7 3/8"	80 / 36
BM33-STN	Stone-look mantel	60 13/16" x 49 13/16" x 9 13/16"	118 / 53.6
39" Flush Mount Mantels			
BM39-CM	Mantel with cream marble-look inlay	68 1/2" x 54 1/2" x 7 3/8"	90 / 40.5
BM39-STN	Stone-look mantel	66 3/4" x 55 5/8" x 9 3/4"	128 / 58.2
Stone-look Picture Frame Surrounds			
BS33-STN	One-piece stone-look surround	40 5/8" x 32" x 3"	50 / 22.7
BS39-STN	One-piece stone-look surround	45 7/8" x 36 7/8" x 3"	55 / 25

Wall-mount Fireplaces



36" wall-mount fireplace (DWF36PG).



Convex wall-mount fireplace, black (VCX1525). Also shown in white (VCX1525WH).



Sahara wall-mount fireplace (RWF-DG).



Beveled profile trim in black (V1525BT-BLK). Also available in gun metal gray (V1525BT-GM).



Rectangular profile trim in gun metal gray (V1525RT-GM). Also available in black (V1525RT-BLK).

With eye-catching designs and quiet, on-demand heat these electric wall-mount fireplaces offer comfort and style. The elegant designs complement any décor. Patented flame technology and space-saving design provides the ambiance of a real fire in any room.

- Ideal for condominiums, lofts, apartments, or single homes.
- Can be recessed or surface-mounted.
- Just plug it in: unit plugs into a standard 120V outlet.
- Direct wire capability on select units.
- Thermostat controlled fan-forced heater.
- Remote control included.

Wall-mount Fireplace Specifications

Model	Description	Volts	Watts	BTU	Total Amps	Dimensions (W x H x D)	Weight (lb/kg)
DWF36PG	Pewter gray glass front. 100% LED flame operation.	120	1240	4223	10.3	36 1/2" x 21 7/8" x 5 1/8"	56 / 25.5
RWF-DG	Dark gray finish with brushed aluminum trim.	120	1400	4779	11.6	39 1/2" x 27 5/8" x 6 7/8"	68 / 30.8
VCX1525	Convex profile, black.	120	1340	4574	11.2	22 3/4" x 34 1/4" x 9"	74 / 33.5
VCX1525WH	Convex profile, white.	120	1340	4574	11.2	22 3/4" x 34 1/4" x 9"	74 / 33.5
V1525BT-BLK	Beveled profile trim, black.	120	1300	4437	10.8	24" x 34 1/2" x 7 1/2"	47 / 21
V1525BT-GM	Beveled profile trim, gun metal gray.	120	1300	4437	10.8	24" x 34 1/2" x 7 1/2"	47 / 21
V1525RT-BLK	Rectangular profile trim, black.	120	1300	4437	10.8	23 3/16" x 35 1/4" x 8"	51 / 23
V1525RT-GM	Rectangular profile trim, gun metal gray.	120	1300	4437	10.8	23 3/16" x 35 1/4" x 8"	51 / 23

23" Plug-in Fireplace Inserts



DFI2309 standard 23" fireplace insert.




DFI2310 deluxe 23" fireplace insert.

- Realistic flame effect, log set and ember bed.
- Installs quickly and easily – just plug it in.
- Built-in fan-forced heater provides on-demand heat.
- Remote control included.
- Firebox dimensions: 23 1/4" W x 19 5/8" H x 10 13/16" D

23" Plug-in Fireplace Insert Specifications

Model	Description	Volts	Watts	BTU	Total Amps	Weight (lb/kg)
DFI2309	23" fireplace insert with front mount switches (flame only, half-heat, full-heat), includes on/off remote control	120	1375	4692	11.5	33 / 15
DFI2310	23" deluxe fireplace insert with inner glow logs. Front mount switches (flame only, half-heat, full-heat), includes on/off remote control.	120	1375	4692	11.5	33 / 15
DFI23TRIMX	Expandable surround trim kit includes mesh screen. Width: 31 7/8" – 43 7/8"; Height 21 7/8" – 28 7/8"					17 / 7.7



Minimum Opening Dimensions



Expandable Surround Trim Kit (DFI23TRIMX)

Plug-in Fireplace Packages

26" Plug-in Fireplace Packages



BSP-26-TS Transitional fireplace with DF2608 firebox.



BSP-26-TDC Traditional corner fireplace with DF2608 firebox. Also available as flat wall.



BSPC-26-CON Contemporary fireplace converts from flat wall to corner with NBDF2608 firebox.

- Patented electric flame technology.
- Realistic flame effect, inner glow logs and pulsating ember bed.
- 120V plug-in firebox with 1,440 W (4,915 BTU) thermostat controlled fan-forced heater.
- Operates with flame only or flame and heat.
- Adjustable interior light and flame speed control.
- Includes remote control.



26" Plug-in Self-Trimming Fireboxes



26" plug-in self-trimming firebox (NBDF2608).



26" plug-in self-trimming firebox with brick-look interior (DF2608).

26" Plug-in Fireplace Specifications

Model	Description	Volts	Watts	BTU	Total Amps	Dimensions (W x H x D)	Weight (lb/kg)
26" Plug-in Fireboxes							
NBDF2608	Standard 26" plug-in firebox, includes built-in thermostat, flame on/off control and separate controls for flame speed, interior brightness and heater, on/off remote control.	120	1440	4915	12.0	27 3/8" x 23 1/2" x 8 3/4"	48 / 21.7
DF2608	Same features and functions as above (NBDF2608) with the addition of brick-look interior.	120	1440	4915	12.0	27 3/8" x 23 1/2" x 8 3/4"	48 / 21.7
26" Plug-in Fireplace Packages							
BSP-26-TS	Transitional slim flat wall fireplace package (preprimed paint ready finish). Features DF2608 firebox.					48 1/8" x 44" x 11 1/16"	77 / 35
BSP-26-TD	Traditional slim flat wall fireplace package (preprimed paint ready finish). Features DF2608 firebox.					49 3/8" x 44" x 11 1/16"	77 / 35
BSP-26-TDC	Traditional slim corner fireplace package (preprimed paint ready finish). Features DF2608 firebox.					45 1/2" x 42 3/16" x 34 1/8"	77 / 35
BSPC-26-CON	Contemporary slim fireplace package (preprimed paint ready finish). Convertible flat wall and corner design. Features NBDF2608 firebox.					45 3/4" x 41 1/2" x 28 1/2"	141.6 / 64.3
BMP-130-W	White flat wall fireplace package. Features DF2608 firebox.					49 3/8" x 43 3/8" x 17 13/16"	170 / 77
BMP-130-O	Oak flat wall fireplace package. Features DF2608 firebox.					49 3/8" x 43 3/8" x 17 13/16"	170 / 77

30" Plug-in Fireplace Packages



BMP-272-W Sussex white fireplace package with 30" firebox (DF3003) and 1" black trim. Also available in Oak (BMP-272-O).

- Patented electric flame technology.
- Realistic flame effect, hand-painted logs and pulsating ember bed.
- 120V plug-in firebox with thermostat controlled fan-forced heater.
- Operates with flame only or flame and heat.
- Adjustable interior light and flame speed control.
- Includes remote control.



Plug-in Fireplace Packages

30" Plug-in Fireboxes and Trim



30" plug-in firebox (DF3003) and 1" black trim (SOT-1-BLK).



30" self-trimming plug-in firebox (BF9000).

30" Plug-in Fireplace Specifications

Model	Description	Volts	Watts	BTU	Total Amps	Dimensions (W x H x D)	Weight (lb/kg)
30" Plug-in Fireboxes and Trim							
DF3003	Plug-in firebox with brick-look interior, flame on/off control, adjustable interior light, adjustable flame speed control, heat on/off control and thermostat controlled fan-forced heater. Includes 3-stage remote control.	120	1500	5120	12.5	30 3/16" x 25 1/4" x 11 7/8"	59 / 26.8
SOT-1-BLK	Black 1" trim (available with DF3003 firebox only).					32 1/8" x 26 13/16" x 1 5/16"	8 / 3.6
BF9000	Plug-in firebox with flame on/off heat on/off control, thermostat controlled fan-forced heater, on/off remote control and lifelike flame effect.	120	880	3000	7.3	30" x 18 7/8" x 9 1/4"	45 / 20.4
30" Plug-in Fireplace Packages							
BMP-272-W	White flat wall fireplace package. Features DF3003 firebox and SOT-1-BLK trim.					54 7/8" x 48 1/16" x 18 1/16"	187 / 84.2
BMP-272-O	Oak flat wall fireplace package. Features DF3003 firebox and SOT-1-BLK trim.					54 7/8" x 48 1/16" x 18 1/16"	187 / 84.2

33" Plug-in / Direct Wire Fireplace Packages



BSP-3033G-C Contemporary cast fireplace with DFG3033 firebox.



BSP-3033-TD Traditional fireplace with DF3033ST firebox.



BSPC-3033-CON Contemporary convertible fireplace converts to corner design with DF3033ST firebox.

33" Plug-in / Direct Wire Fireboxes



DF3033ST plug-in / direct wire firebox.



DFG3033 plug-in / direct wire firebox with glass ember bed.

- Includes 120V factory installed plug kit; remove wire connections to direct wire.
- 1,000 W (3,413 BTU) thermostat-controlled heater.
- Includes multi-function digital display remote control.




33" Plug-in Fireplace Specifications


Model	Description	Volts	Watts	BTU	Total Amps	Dimensions (W x H x D)	Weight (lb/kg)
33" Plug-in / Direct Wire Fireboxes							
DF3033ST	Plug-in/direct wire firebox with flame on/off control, adjustable interior light, and adjustable flame speed control, heat on/off control, thermostat controlled fan-forced heater and multi-function digital display remote control.	120	1000	3413	8.3	32 7/8" x 23 3/8" x 9 1/2"	60.4 / 27.5
DFG3033	Plug-in/direct wire firebox with glass fragment flame bed, flame on/off control, adjustable interior light, and adjustable flame speed control, heat on/off control, thermostat controlled fan-forced heater and multi-function digital display remote control.	120	1000	3413	8.3	32 7/8" x 23 3/8" x 9 1/2"	66.4 / 30.2
33" Plug-in / Direct Wire Fireplace Packages							
BSP-3033-C	Contemporary slim flat wall fireplace package (glass reinforced concrete with taupe finish). Features DF3033ST firebox.					53 3/8" x 44 1/16" x 11 1/4"	220 / 100
BSP-3033G-C	Contemporary slim flat wall fireplace package (glass reinforced concrete with taupe finish). Features DFG3033 firebox.					53 3/8" x 44 1/16" x 11 1/4"	223.4 / 101.5
BSP-3033-TD	Traditional slim flat wall fireplace package (preprimed paint ready finish). Features DF3033ST firebox.					52 7/8" x 41 7/8" x 12"	130 / 59.1
BSP-3033G-TD	Traditional slim flat wall fireplace package (preprimed paint ready finish). Features DFG3033 firebox.					52 7/8" x 41 7/8" x 12"	135 / 61.3
BSP-3033-TDC	Traditional slim corner fireplace package (preprimed paint ready finish). Features DF3033ST firebox.					52 7/8" x 41 7/8" x 29 1/2"	85 / 38.6
BSP-3033G-TDC	Traditional slim corner fireplace package (preprimed paint ready finish). Features DFG3033 firebox.					52 7/8" x 41 7/8" x 29 1/2"	168.2 / 76.5
BSPC-3033-CON	Contemporary slim fireplace package (preprimed paint ready finish). Features DF3033ST firebox.					45 3/4" x 41 1/2" x 22 7/8"	148.2 / 67.3
BSPC-3033G-CON	Contemporary slim fireplace package (preprimed paint ready finish). Features DFG3033 firebox.					45 3/4" x 41 1/2" x 22 7/8"	177.4 / 80.6

Dimensions (inches)


33" Slimline Built-in Firebox (BFSL33)




33" Built-in Firebox (BF33DXP)




39" Built-in Firebox (BF39STP/DXP)




39" 2-Sided Built-in Firebox (BF392SD)




45" Built-in Firebox (BF45DXP)




50" Linear Built-in Firebox (BLF50)




26" Plug-in Firebox (DF2608/NBDF2608)




30" Plug-in Firebox (DF3003)




30" Self-trimming Plug-in Firebox (BF9000)




33" Plug-in Firebox (DF3033ST/DFG3033)




Plug-in Fireplace Insert (DFI2309/DFI2310)




36" Wall-mount Fireplace (DWF36PG)




Sahara Wall-Mount Fireplace (RWF-DG)




Convex Wall-Mount Fireplace (VCX1525/WH)



Beveled Profile Wall-Mount Fireplace (V1525BT-BLK/GM)



Rectangular Profile Wall-Mount Fireplace (V1525RT-BLK/GM)



Your authorized Dimplex distributor:

Dimplex North America Limited
1367 Industrial Road Cambridge, ON Canada N1R 7G8

Phone: 1-800-668-6663
Fax: 1-800-668-6665

www.dimplexconstruction.com

Dimplex reserves the right to change specifications without notice.

© 2011 Dimplex North America Limited



Printed in Canada

LI-950 10/11

Protected by one or more of the following patents: U.S. Patents: 6,050,011, 6,269,567, 6,190,019, 6,564,485, 5,642,580, 6,615,519, 6,363,636, 6,047,489, 6,718,665, 6,350,498, 6,162,047, 6,385,881, 7,134,229, D514,677, 7,162,820, 7,194,830. Canadian Patents: 2,175,442, 2,310,367, 2,310,073, 2,204,106, 2,310,362, 2,310,414, 2,262,338, 2,321,716, 2,299,927, 1,051,750. Other patents pending. Specifications, finishes and dimensions are subject to change and should be taken as a guide only.